


LICKALICIOUS

FOR G8F

~~Mini-tutorial~~



Remember that in the DIM settings, you can choose the destination library.


1 - What is Lickalicious?

Lickalicious for G8F is a tongue graft including morphs, textures and goodies.

2 - How to install it? [two possibilities]

A - Using DAZ Installation Manager


– Locate your DIM zip directory: Open DIM, click on the upper right gear, click on the 'Downloads' tab, and locate the Package Archive directory:




– Copy in it both the zip (do not unzip it) and the dsx files;

– Refresh DIM (couple of round arrows at the top), and enable the 'Ready to Install' tab. Locate the product, and click 'Install'... done!

B – Manual procedure



Locate your main DAZ folder. It may be something like C:\Users\Public\Documents\My DAZ 3D Library.




Merge the contents of the .zip file with your main DAZ folder, where your content is installed. For MAC users: follow instructions here:

<http://www.renderotica.com/community/forums.aspx?g=posts&t=204659&cmsg=0&cmsn=>

---> It is important that the **data** and **Runtime** folders are properly installed in your content library folder with the exact path provided in the zip (installing in a sub-folder is a common mistake), otherwise textures won't be found.


3 - Where is my content?

You can access to the presets in your Content Library tab under:



People/Genesis 8 Female/Anatomy/Lickalicious

You can access to the dialable morphs in the Parameters tab, with Lickalicious selected in the scene:



4 – Quick setup

- ✓ Select G8F;
- ✓ From the 'Lickalicious' folder, load '1-Lickalicious_Full Setup' wearable preset, and '2_Material Copy'.



6 – Manual setup

This can be useful if you plan to load several tongues, or to load a tongue without a root blend follower (if the root of the tongue is invisible)

- ✓ Select G8F;
- ✓ From the 'Lickalicious/Manual Setup' folder, load '1-Lickalicious_Tongue';



- ✓ Select Lickalicious;
- ✓ From the 'Lickalicious/Manual Setup' folder, load '2-Lickalicious_Root Blend':



- ✓ Repeat the steps for each additional tongue. Load the Mat copy script from the main Lickalicious folder.

✓ If you did not load a rood blend follower, select the tongue surface, and remove its cutout opacity map.

6 – Textures setup [IRAY only]


Select Lickalicious, and load a texture preset on it.




The texture includes a transparency map to blend its root, so it looks ghostly in the viewport... a bit tricky to pose. A temporary 'posing' shader has been included. When the tongue is posed, load back a texture on it.

7 – Morphs setup

Select Lickalicious in the scene and load a shaping preset on it.





You can also mix the presets in the parameters tab:



7 – Wet shell

In order to increase its wetness, Lickalicious comes with a wet shell. Jus select G8F in the scene, and load the 'Wet geometry shell' on it:




In order to set its glossiness, select the shell in the scene tab (it can't be selected in the viewport), and load a glossiness preset on it.

8 – Shell issues

Geometry shells create half-transparent shaders on unsupported surfaces... for example graft ones. So if you load on G8F another product's shell, you need to fix it. Select the shell in the scene tab, and load either the 'Shell Fix' script or the 'Shell Fix' material preset from the main Lickalicious folder:



8 – Cumshots



Cumshots are provided both for the tongue and for the mouth/lips.

For the tongue cumshots, select Lickalicious and load them on it. For the lip/mouth cum, select G&F and load the matching presets on it.